

FIG. 2

PROFILE

COMMUNICATION CONTENTS (DATA)

FIG. 3

DATABASE COMPUTER					
COMMUNICATION CONTROL DEVICE COMP	II PROFILE REQUEST	III TRANSFER OF PROFILE	VII TRANSFER OF NOTIFICATION	IX TRANSFER OF COMMUNICATION CONTENTS	
COMMUNICATION COMMUNICATION COMMUNICATION	I COMMUNICATION REQUEST	IV PROFILE TRANSMISSION	VI NOTIFICATION OF SELECTED COMMUNICATION SYSTEM AND TRANSMISSION TIME	VIII TRANSMISSION REQUEST	
COMMU			COMMUNICATION SYSTEM SELECTING	T NOCEDONE	

 \triangleright

X TRANSMISSION OF COMMUNICATION CONTENTS THROUGH SELECTED COMMUNICATION SYSTEM

FIG. 4




FIG. 5A

SCORE	10	10	50	50	50	100	100	100
TRANSMISSION RATE	8400096	14400bps	32000bs	64000bs	128000bps	384000bps	640000bps	2400000bps

FIG. 5B

100km OR OVER	10
100km	91
	30
60km	30
50km	50
	50
10km OR LESS	100
MOVING SPEED	SCORE





FIG. 7



-300 SITE 2 SITE 3 SITE \Box -400 M2 Ξ \mathbb{R} PROVIDER COMMUNICATION CONTROL DEVICE COMMUNICATION CONTROL DEVICE -40A -40B C1+C3 12 \sqsubseteq TERMINAL ပ **1 2**

FIG. 8

